

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	10/761124	US-PGPUB; USPAT	OR	ON	2008/06/16 13:49
L2	1	"4937152".pn.	US-PGPUB; USPAT	OR	ON	2008/06/16 13:49
L3	3164	429/12-46.ccls. and (sofc solid adj oxide)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 14:01
L4	331	3 and (electrolyte electrolytic) near4 (seal\$3 insulat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 14:04
L5	1	3 and (rough roughen roughening roughing) with (separator biplate plate collector interconnect\$3 Bipolar support "bi-polar" "bi- plate") with (seal \$3 insulat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 14:33
L6	5	3 and (rough roughen roughening roughing) with (separator biplate plate collector interconnect\$3 Bipolar support "bi-polar" "bi- plate")	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 14:33
L7	18	3 and (rough roughen roughening roughing) with (seal\$3 insulat \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 14:36

L8	17	7 not (6 5)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 14:36
L9	1	3 and (rough roughen roughening roughing roughness) with (separator biplate plate collector interconnect\$3 Bipolar support "bi-polar" "bi- plate") with (seal \$3 insulat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 14:38
L10	24	3 and (rough roughen roughening roughing roughness) with (seal\$3 insulat \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 14:44
L11	25	3 and (rough roughen roughening roughing roughness) with (separator biplate plate collector interconnect\$3 Bipolar support "bi-polar" "bi- plate")	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 14:44
L12	20	11 not 6	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 14:47
L13	0	3 and plasma near4 spray\$3 with (rough roughen roughness roughening roughing)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 15:36

L14	2	3 and plasma near4 spray\$3 same (rough roughen roughness roughening roughing)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 15:36
L15	602	plasma near4 spray\$3 with (rough roughen roughness roughening roughing)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 15:37
L16	55	plasma near4 spray\$3 with (rough roughen roughness roughening roughing) with (adhes\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 15:38
L17	2	16 and "429". clas.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 15:38
L19	0	17 not 17	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 15:39
L20	53	16 not 17	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 15:39

6/ 16/ 2008 5:21:09 PM

C:\ Documents and Settings\ewang\ My Documents\ EAST\ Workspaces\ 10761124  
(2) - method of sealing.wsp